THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general information.

Chief Secretary's Office, Adelaide, April 20th, 1896.

J. V. O'LOGHLIN, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of February, 1891-96.

											,			-		0)		
Years	1891.	1892.	1893.	1894.	1895.	Average of Five	1896. 351,136							Total for 1896.				
*Population, Feb. 1st	313,781	320,896	332,431	342,140	347,481	Years.												
Births	744	857	784	772	800	791	731								1,544			
Rate per cent	.237	·267	•236	•266	•230	_					•2	08						
Deaths							All Ages.	Under 1 year.	l and under 5.	6 and under 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners' Inquiries.	‡Uncerti- fied causes of Death.	
All causes	296	352	309	310	365	326	329	99	22	18	66	40	64	20	_	46	15	771
Rate per cent	•094	•110	.093	.091	•105	_	•094	_	_	_	_	_	_	_	_	_	_	
Diseases— I. Specific Febrile or Zymotic. II. Parasitic	56 1 6 43 34 111 19	69 3 3 55 21 144 18	62 -4 46 38 107 18	59 -3 56 31 119 17	58 2 2 60 33 150 36		54 1 4 49 32 133 36	24 	2 - 3 - 12 5	$\frac{1}{-\frac{5}{111}}$	15 1 1 18 - 22 8	$\frac{6}{1}$ $\frac{1}{13}$ $\frac{16}{4}$	5 — 9 11 37 1	1 - 1 10 7 1				1112
causes	26	39	34	25	24	-	20	18			1		1			_	_	

* The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Including inquests.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of February, 1896.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I.						Diseases of locomotive sys-		
Measles	-	_	V.			tem	_	1
Scarlet fever			Premature birth	7	_	Diseases of integumentary		1
Relapsing fever	_		Cyanosis		_	system	_	2
Influenza		2	Congenital defects,,	4	_	VII.		
Whooping-cough	1		Old age	_	21	(Accident.)		
Diphtheria	_	_	VI.			Fracture and contusion	1	8
Simple and ill-defined fever	_	1	Apoplexy		6	Gunshot wound	_	1
Enteric fever	_	8	Epilepsy	_	_	Cut, stab	_	_
Simple cholera	1	_	Convulsions	9	2	Burn and scald		4
Diarrhœa, dysentery	21	10	Other diseases of brain and			Poison		_
Remittent fever	_	1	nervous system	3	14	Drowning		6
Venereal affections	_	_	Diseases of organs of special			Suffocation		2
Erysipelas	1	1	sense	_		Otherwise	5	7
Pyæmia and septicæmia	-		Diseases of circulatory sys-			(Homicide.)		
Puerperal fever	_	7 -	tem	1	19	Murder and manslaughter		
Other zymotic diseases			Croup	_	_	(Suicide.)		
II.			Bronchitis	2	10	Gunshot wound		1
Thrush	_	_	Pneumonia	2	9	Cut, stab		
Worms and other parasitical			Pleurisy	_	_	Poison	_	_
diseases	-	1	Other diseases of respiratory			Drowning		_
III.			system	1	2	Hanging	_	
Privation—want of breast milk	2		Dentition	7	1	Otherwise		1
Alcoholism	_	2	Quinsy, sore throat			(Execution.)		
IV.			Enteritis	10	3	Hanging	-	_
Rheumatic fever and rheuma-			Peritonitis		4	VIII.		
tism of heart	_	1	Diseases of liver	_	0 î	Dropsy	_	1
Rheumatism	_	_	Other diseases of digestive			Debility, atrophy, inanition	15	
Gout	_	_	system	3	4	Mortification	_	
Cancer, malignant disease	_	12	Diseases of lymphatic sys-			Tumor		
Tabes mesenterica	_		tem and of ductless glands	_	1	Abscess		
Tubercular meningitis	_	3	Diseases of urinary system	_	10	Hæmorrhage	_	
Phthisis		21	Diseases of generative sys-		10	Sudden, cause unascertained	_	
Scrofula, tuberculosis	_	6	tem		_	Other ill-defined and not		
Other constitutional diseases		6	Accidents of childbirth	_	6	specified causes	3	1
other constitutional discases,			TIOUROUS OF OHITHOUGH (II) 6 6 6			specifica causes	0	1

Return of Births and Deaths registered in the City of Adelaide in the Month of February, 1891-96.

Years						Average of Five	1896.							Total for				
Population, Jan. 1st	37,727	38,240	39,073	39,749	40,167	Years.					40	,406				-		1896
Births	103	93	95	95	78	93						85						185
Rate per cent	•273	•243	•243	•239	•194						•2	10		,	1	1	-	
Deaths —							All Ages.	Under I year.	l and under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncertified causes of death.	
All causes	68	61	82	68	77	71	76	18	5	6	16	14	14	3	_	8		161
Rate per cent	·180	·160	•210	·171	•192	_	•188	_	_	_	_	_	_	_	_	_	_	i i piti
Diseases— 1. Specific Febrile or Zymotic 11. Parasitic IV. Constitutional V. Developmental VI. Local VII. Violence VIII. Ill-defined and not specified causes	9 1 4 19 6 18 5	10 -2. 8 8 8 26 2	14 1 2 19 7 31 1	7 2 1 12 7 33 2	8 1 1 27 5 27 4		$ \begin{array}{r} 10 \\ \hline 2 \\ 16 \\ 5 \\ 30 \\ 8 \end{array} $	4 -1 -1 5 2		1 - 2 - 3	4 - 5 - 7			3				

^{*} Including inquests.

Causes of Deaths registered in the Month of February, 1896.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above.
I. Measles			Scrofula, tuberculosis	_	4	Accidents of childbirth Diseases of locomotive system	=	2
Scarlet fever	_	_	Other constitutional diseases	_	1	Diseases of integumentary system	-	_
Influenza	·	_	V. Premature birth	1		VII. (Accident.)		
Whooping-cough			Cyanosis	_	_	Fracture and contusion	1	1
Simple and ill-defined fever	_	1	Congenital defects	-		Gunshot wound	_	
Enteric fever	_	2	Old age	_	4	Cut, stab Burn and scald	=	2
Diarrhœa, dysentery Remittent fever	4	2	VI. Apoplexy		1	Poison	_	2
Venereal affections	_	_	Epilepsy		_	Suffocation	_	1
Erysipelas	_	1	Convulsions Other diseases of brain and	. 1	_	Otherwise (Homicide.)	1	
Pyæmia and septicæmia Puerperal fever	_	-	nervous system	_	4	Murder and manslaughter (Suicide.)	_	-
Other zymotic diseases	-	-	Diseases of organs of special sense	_		Gunshot wound	-	-
II.			Diseases of circulatory system	_	2	Cut, stab	_	_
Thrush	-	_	Croup		3	Poison	_	-
Worms and other parasitical diseases			Pneumonia		4	Hanging	-	-
III.			Pleurisy Other diseases of respiratory	-	_	Otherwise (Execution)	-	
Privation—want of breast milk	1		system	1	_	Hanging	-	T
Alcoholism	-	1	Dentition	1	_	VIII.		
IV.			Enteritis	1	2	Dropsy	5	_
Rheumatic fever and rheuma-			Peritonitis	-	1	Debility, atrophy, inanition Mortification	-	-
tism of heart			Diseases of liver Other diseases of digestive	-	1	Tumor	-	1 -
Rheumatism			system	1	1	Abscess	-	-
Cancer, malignant disease	_	3	Diseases of lymphatic sys-			Hæmorrhage	1	_
Tabes mesenterica	-	_	tem and of ductless glands		1	Sudden, cause unascertained	_	
Tubercular meningitis Phthisis	_	8	Diseases of urinary system Diseases of generative system	_	3	Other ill-defined and not specified causes	-	-

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the Month of February, 1896.

		1 1			1	1	1
	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
						-	
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	40,406	6,313	7,041	8,496	9,870	3,705	4,981
Persons to an acre	11.1	11:0	10.7	15.4	13.7	7.7	7.7
Births Male Female	85 41 44	17 10 7	15 6 9	16 5 11	17 10 7	10 5 5	10 5 5
Deaths	63 31 32	14 10 4	10 3 7	11 5 6	12 8 4	6 3 3	10 2 8
CLASSES. I. Specific Febrile or Zymotic Diseases II. Parasitic Diseases III. Dietic Diseases IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence VIII. Ill-defined and not specified causes	6 -2 13 5 24 8 5	3 3 6 2	1 - 1 - 5 - 3	2 4 1 4	3 3 3 1 2		
Percentage of Deaths to population of each Ward	•156	•222	•142	130	121	•162	•201

Causes of Deaths registered in the Month of February, 1896.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above,
I.	-		Phthisis	_	5	Accidents of childbirth	_	2
Measles			Scrofula, tuberculosis		4	Diseases of locomotive system	_	_
Scarlet fever	_		Other constitutional diseases.		1	Diseases of integumentary		
Relapsing fever	_					system		_
Influenza	_		V.			VII.		1
Whooping-cough	-		Premature birth	1		(Accident.)	1	
Diphtheria	_		Cyanosis	_	_	Fracture and confusion	1	1
Simple and ill-defined fever		1	Congenital defects	-		Gunghot wound		1
Enteric fever	_	1	Old age	_	4	Gunshot wound	_	
Simple cholera		1 -				Burn and scald		2
Diarrhœa, dysentery	4	_	VI.			Poison		
Remittent fever	-	_	Apoplexy	_	1	Drowning	_	2
Venereal affections	-	-	Epilepsy	_	-	Suffocation	_	_
Erysipelas	-	-	Convulsions	1	_	Otherwise	1	1
Pyæmia and septicæmia	-	- '	Other diseases of brain and			(Homicide.)		
Puerperal fever	-	_	nervous system	-	3	Murder and manslaughter		
Other zymotic diseases	-	_	Diseases of organs of special			(Suicide.)		
			sense	-	-	Gunshot wound	-	_
II.			Diseases of circulatory system	-	1	Cut, stab	-	_
Thrush	_	_	Croup	-	3	Poison	_	-
Worms and other parasitical	1		Bronchitis	_	3	Drowning		_
diseases	_	_	Pneumonia		0	Hanging	_	-
****			Pleurisy			Otherwise	-	-
III.			Other diseases of respiratory	1		(Execution)		
Privation — Want of breast	1		System	1		Hanging		
milk	1	1	Quinsy, sore throat	1		HangingVIII.		
Alcoholism	_	1	Enteritis	1	2	Dropsy		_
137	-		Peritonitis		1	Debility, atrophy, inanition	5	_
IV. Rheumatic fever and rheu-			Diseases of liver	_	î	Mortification	_	_
matism of heart	_	_	Other diseases of digestive		-	Tumor	_	_
Phonestican	_		system	1	1	Abscess	_	
Rheumatism	_		Diseases of lymphatic system			Hæmorrhage		_
Gout		3	and of ductless glands	_		Sudden, cause unascertained.		-
Cancer, malignant disease Tabes mesenterica		_	Diseases of urinary system	_	1	Other ill-defined and not spe-		
Tubercular meningitis	_		Diseases of generative system	_		cified causes		

G. H. AYLIFFE, Registrar of Births and Deaths.

FEBRUARY, 1896.

The highest temperature in the shade at the Adelaide Observatory during the month was 110°9 on the 17th; and the lowest, 53°4, on the 1st and 3rd. The mean temperature of the month was 75°0.

The greatest range of the thermometer in one day, 37°0, took place on the 8th, viz., from a maximum of 93°5 to a minimum of 56°5; the lowest range, 11°3, on the 25th.

The mean height of the barometer was 29.850 inches; the maximum, 30.108 inches, occurred on the 26th; and the minimum, 29.511 inches, on the 17th.

Observatory, Adelaide, March 9th, 1896.

C. Todd, Observer.